Douglas County

Youth & Tobacco Data Summary 10th Grade

\/aa=	\sim	\sim
Year	ZU	UU

100.0 % 100.			1001 2000	County %	State %
Female	10th Grade S	Students Surveyed	n= 284	100.0 %	100.0 %
Male 51.4 % 48.4 % Race/Ethnicity 30.0 % 24.2 % White 30.0 % 24.2 % White 30.0 % 75.8 % County %+/- Margin of Error Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 143 20.4 %+/- 6.8 21.8 %+/- 2.1 Male n= 143 23.1 %+/- 6.9 17.5 %+/- 2.1 Past 30 days, youth who have smoked cigars at least once Female n= 135 6.7 %+/- 4.2 4.8 %+/- 1.2 Male n= 141 14.9 %+/- 5.9 11.2 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 136 4.4 %+/- 3.5 1.2 %+/- 0.8 Male n= 142 9.2 %+/- 4.7 2.7 %+/- 0.8 Total n= 278 6.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female <td>Gender</td> <td></td> <td></td> <td></td> <td></td>	Gender				
Students of Color Students of Color White Students of Color White Students of Color State with the work of County Students of County State with the work of Error Stat	Female			48.6 %	51.6 %
Students of Color	Male			51.4 %	48.4 %
White 70.0 % 75.8 % County %+/- Margin of Error State %+/- Margin of Error State %+/- Margin of Error Past 30 days, youth who have smoked cigarettes at least once Female n= 137 20.4 %+/- 6.8 21.8 %+/- 2.2 Male n= 143 23.1 %+/- 6.9 17.5 %+/- 2.1 Total n= 280 21.6 %+/- 4.8 19.8 %+/- 1.5 Past 30 days, youth who have smoked cigars at least once Female n= 135 6.7 %+/- 4.2 4.8 %+/- 1.2 Male n= 141 14.9 %+/- 5.9 11.2 %+/- 1.7 10.8 %+/- 3.6 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once 4.4 %+/- 3.5 1.2 %+/- 0.6 Male n= 136 4.4 %+/- 3.5 1.2 %+/- 0.8 Male n= 142 9.2 %+/- 4.7 2.7 %+/- 0.8 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once 8.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Pemale n	Race/Ethnici	ty			
County %+/- Margin of Error	Students of	Color		30.0 %	24.2 %
Margin of Error Margin of Error Margin of Error	White			70.0 %	75.8 %
Past 30 days, youth who have smoked cigarettes at least once Female				County %+/-	State %+/-
Past 30 days, youth who have smoked cigarettes at least once Female				Margin	Margin
Past 30 days, youth who have smoked cigarettes at least once Female				_	_
Female			ed cigarettes		
Total n= 280 21.6 %+/- 4.8 19.8 %+/- 1.5 Past 30 days, youth who have smoked cigars at least once Female n= 135 Male n= 141 Total n= 276 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 136 Male n= 136 Male n= 142 Total n= 278 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 136 Male n= 142 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 A.4 %+/- 3.5 B.2 %+/- 0.6 B.8 %+/- 2.9 B.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 B.8 %+/- 4.8 4.5 %+/- 0.5 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 Bat 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once Female n= 136 Bat 30 days, youth who have used any tobacco product at least once				20.4 %+/- 6.8	21.8 %+/- 2.2
Total n= 280 21.6 %+/- 4.8 19.8 %+/- 1.5 Past 30 days, youth who have smoked cigars at least once Female n= 135	Male	n= 143		23.1 %+/- 6.9	17.5 %+/- 2.1
Female n= 135 6.7 %+/- 4.2 4.8 %+/- 1.2 Male n= 141 14.9 %+/- 5.9 11.2 %+/- 1.7 Total n= 276 10.8 %+/- 3.6 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 136 4.4 %+/- 3.5 1.2 %+/- 0.6 Male n= 142 9.2 %+/- 4.7 2.7 %+/- 0.8 Total n= 278 6.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 </td <td>Total</td> <td>n= 280</td> <td></td> <td></td> <td>19.8 %+/- 1.5</td>	Total	n= 280			19.8 %+/- 1.5
Female n= 135 6.7 %+/- 4.2 4.8 %+/- 1.2 Male n= 141 14.9 %+/- 5.9 11.2 %+/- 1.7 Total n= 276 10.8 %+/- 3.6 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 136 4.4 %+/- 3.5 1.2 %+/- 0.6 Male n= 142 9.2 %+/- 4.7 2.7 %+/- 0.8 Total n= 278 6.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 </td <td>Past 30 days</td> <td>, youth who have smoke</td> <td>ed cigars at least once</td> <td></td> <td></td>	Past 30 days	, youth who have smoke	ed cigars at least once		
Male n= 141 14.9 %+/- 5.9 11.2 %+/- 1.7 Total n= 276 10.8 %+/- 3.6 7.9 %+/- 1.0 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 136 4.4 %+/- 3.5 1.2 %+/- 0.6 Male n= 142 9.2 %+/- 4.7 2.7 %+/- 0.8 Male n= 278 6.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9	-		•	6.7 %+/- 4.2	4.8 %+/- 1.2
Total n= 276 10.8 %+/- 3.6				14.9 %+/- 5.9	
at least once Female					
Female n= 136 4.4 %+/- 3.5 1.2 %+/- 0.6 Male n= 142 9.2 %+/- 4.7 2.7 %+/- 0.8 Total n= 278 6.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Past 30 days	, youth who have smoke	ed tobacco in a pipe		
Male Total n= 142 n= 278 9.2 %+/- 4.7 2.7 %+/- 0.8 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 Male n= 141 n= 277 8.8 %+/- 4.8 ship 4.5 %+/- 1.1 4.5 %+/- 1.1 Total n= 277 9.3 %+/- 3.4 ship 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 Male n= 142	at least once	9			
Total 6.8 %+/- 2.9 1.9 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Female	n= 136		4.4 %+/- 3.5	1.2 %+/- 0.6
Total n= 278 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 0.9 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Male	n= 142		9.2 %+/- 4.7	2.7 %+/- 0.8
at least once Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Total	n= 278		6.8 %+/- 2.9	
Female n= 136 8.8 %+/- 4.8 4.5 %+/- 1.1 Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Past 30 days	, youth who have smoke	ed bidis (flavored cigarettes)		
Male n= 141 9.9 %+/- 4.9 4.7 %+/- 1.2 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	at least once	e			
Total n= 277 9.3 %+/- 3.4 4.6 %+/- 0.8 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Female	n= 136		8.8 %+/- 4.8	4.5 %+/- 1.1
Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Male	n= 141		9.9 %+/- 4.9	4.7 %+/- 1.2
(chewing tobacco, snuff or dip) at least once Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Total	n= 277		9.3 %+/- 3.4	4.6 %+/- 0.8
Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Past 30 days	, youth who have used s	smokeless tobacco		
Female n= 136 5.9 %+/- 4.0 1.4 %+/- 0.8 Male n= 142 14.1 %+/- 5.7 7.9 %+/- 1.6 Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	•				
Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4				5.9 %+/- 4.0	1.4 %+/- 0.8
Total n= 278 10.0 %+/- 3.5 4.6 %+/- 0.9 Past 30 days, youth who have used any tobacco product at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Male	n= 142		14.1 %+/- 5.7	7.9 %+/- 1.6
at least once Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	Total				
Female n= 136 23.5 %+/- 7.1 23.8 %+/- 2.3 Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	•		any tobacco product		
Male n= 141 29.1 %+/- 7.5 24.8 %+/- 2.4	at least onc	e			
	Female	n= 136		23.5 %+/- 7.1	
Total n= 277 26.2 %+/- 5.2 24.4 %+/- 1.6	Male	n= 141		29.1 %+/- 7.5	
	Total	n= 277		26.2 %+/- 5.2	24.4 %+/- 1.6

Source: Washington State Department of Health Tobacco Prevention and Control Assessment and Evaluation n = number of survey respondents for county.

* = Rate not calculated because number of responses was less than 15.

Douglas County

Youth & Tobacco Data Summary 10th Grade Year 2000

Year 2000		
	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life?	n= 281	
None	51.6 %+/- 5.8	49.9 %+/- 1.9
1/2 pack or less	26.3 %+/- 5.1	24.7 %+/- 1.6
1 - 4 packs	8.5 %+/- 3.3	9.3 %+/- 1.1
5 or more packs	13.5 %+/- 4.0	16.1 %+/- 1.4
Do you want to stop using tobacco right now?		
(among current tobacco users)	n= 53	
Yes	54.7 %+/- 13.4	56.8 %+/- 4.0
Have you ever participated in a program to help you quit		
using tobacco? (among current tobacco users)	n= 105	
Yes	10.5 %+/- 5.9	6.7 %+/- 1.7
During past 12 months, did you ever try to quit using tobacco?		
(cigarettes, cigars, or chew/dip)(among current tobacco users)	n= 84	
Yes	63.1 %+/- 10.3	58.3 %+/- 4.9
Do you think you will smoke a cigarette at any time during		
the next year?	n= 283	
Definitely no	59.7 %+/- 5.7	56.2 %+/- 1.8
If one of your best friends offered you a cigarette, would you		
smoke it?	n= 283	
Definitely no	62.9 %+/- 5.6	59.1 %+/- 1.8
Susceptibility Index (combination of the previous two questions,	000	
either of which receives any answer other than 'Definitely no')	n= 283	40.0.0/ . / 4.0
Susceptible	44.5 %+/- 5.8	46.8 %+/- 1.8
If one of your best friends offered you a cigarette, would you	004	
smoke it? (from among youth who did not smoke in last 30 days)	n= 221	=0.00/ / / 0
Definitely no	79.6 %+/- 5.3	72.8 %+/- 1.8
Do you think the smoke from other people's cigarettes		
(second-hand smoke) is harmful to you?	n= 284	00 0 0/ . / 4 0
Definitely yes or Probably yes	93.3 %+/- 2.9	92.2 %+/- 1.0
Do you think it is safe to smoke for only a year or two,		
as long as you quit after that?	n= 282	
Definitely no	57.8 %+/- 5.8	67.7 %+/- 1.7

Douglas County

Youth & Tobacco Data Summary 10th Grade Year 2000

, oa. 2000	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 282 31.6 %+/- 5.4	39.7 %+/- 1.8
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 280 17.9 %+/- 4.5	18.7 %+/- 1.4
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= 281 39.1 %+/- 5.7	28.7 %+/- 2.7
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= 282 24.1 %+/- 5.0	24.6 %+/- 2.5
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 280 8.9 %+/- 3.3	27.5 %+/- 1.6
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= 281 66.9 %+/- 5.5	77.6 %+/- 1.6
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= 279 45.5 %+/- 5.8	39.4 %+/- 1.8
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= 281 24.9 %+/- 5.1	27.8 %+/- 1.6
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 281 59.4 %+/- 5.7	65.8 %+/- 1.7
Does anyone who lives with you now smoke cigarettes? Yes	n= 279 38.4 %+/- 5.7	37.4 %+/- 2.9